Test Report

Report No.：NAP2601043602E

Applicant: Dongguan Weimei Toy Co., Ltd.

Address: Room 203, No. 7 Jincheng Road, Fenggang Town, Dongguan City, Guangdong Province

The following test sample information is provided and confirmed by the applicant:

Sample Name:	plush toy
	Plastic plush keychain
	Plush animal toys
Labeled Age Grading:	12+
Requested Age Grading:	12+
Applicable Age group assessed by Lab:	0+
Age Group Applied in Testing:	0+

Date of sample(s) received:	Jan.15,2026
Date of Test Period:	Jan.15,2026 ~ Jan.21,2026
Date of Report:	Jan.21,2026

TEST REQUESTED：Please refer to the attached page for details

CONCLUSION：Please refer to the attached page for details

NAP Testing Technology Service (Zhongshan) Co., LTD

Lian Yi

Lian Yi

Authorized Signatory

Unless otherwise stated, this test report is only responsible for the sample(s). This test report cannot be reproduced in partly without prior written permission of the testing Lab. Any inquiry about this report, please raise from the date of receipt of the report within 30 days, overdue will not be accepted.Items marked with "^" are not accredited by CNAS.

Test Report

TEST REQUESTED	CONCLUSION
1. Physical & Mechanical Requirements [ASTM F963-23]	PASS
2. Flammability Requirements [ASTM F963-23]	PASS
3. Toxic Elements Test [ASTM F963-23 Section 4.3 Toxicology] (Including the following)	PASS
3.1. Soluble Migrated Elements [ASTM F963-23 Section 4.3.5.1 (2), 4.3.5.2 (2)(b) & 8.3]	PASS
3.2. Total Lead Content In Substrates [ASTM F963-23 Section 4.3.5.2 (2)(a)]	PASS
3.3. Total Phthalates [ASTM F963-23 Section 4.3.8]	PASS
3.4. Total Lead Content in Paints and Surface Coatings [ASTM F963-23 Section 4.3.5.1(1)]	NOT APPLICABLE
4. As specified by client, to determine the Total Lead Content in Substrates [Consumer Product Safety Improvement Act Of 2008 Section 101] in submitted samples.	PASS
5. As specified by client, to determine the Total Phthalates in children's toys and childcare articles[Consumer Product Safety Improvement Act Of 2008 (CPSIA)-16 CFR 1307] in submitted samples	PASS
6. Tracking labels for children's products [Consumer Product Safety Improvement Act of 2008 Section 103]	PASS
7. As specified by client, to determine the Total Lead Content In Paints And Surface Coatings [Consumer Product Safety Improvement Act Of 2008 Section 101] in submitted samples.	NOT APPLICABLE

Unless otherwise stated, this test report is only responsible for the sample(s). This test report cannot be reproduced in partly without prior written permission of the testing Lab. Any inquiry about this report, please raise from the date of receipt of the report within 30 days, overdue will not be accepted.Items marked with "^" are not accredited by CNAS.

NAP Testing Technology Service (Zhongshan) Co., LTD
TEL：0760-86519632 E-mail:service@nap-testing.com Web: www.nap-testing.com
Add：4th floor Zone A and 5th floor, Site no. 81, Lixi Avenue, Banfu Borough, Zhongshan City, Guangdong Province, China

Test Report

Test Result(s)：

1. ASTM F963-23 PHYSICAL & MECHANICAL REQUIREMENTS - AS PER ASTM STANDARD CONSUMER SAFETY SPECFICATION FOR TOYS SAFETY F963-23

The following clauses are identified to be applicable:

Clause	Test Items	Assessment
		All
4	Safety requirements	
4.1	Material quality	P
4.2	Flammability	P
4.3.3.1	Toys in Contact with Food	NA
4.3.7	Stuffing Materials	P
4.4	Electrical/thermal energy	NA
4.5	Sound producing toys	NA
4.6	Small objects	P
4.6.1	Toys that are intended for children under 36 months of age	P
4.6.2	Mouth-actuated Toys	NA
4.6.3	Toys and games that are intended for use by children who are at least three years old (36 months) but less than six years of age (72 months)	NA
4.7	Accessible edges	P
4.8	Projections	NA
4.9	Accessible points	P
4.10	Wires or rods	NA
4.11	Nails and fasteners	NA
4.12	Packaging film	NA
4.13	Folding mechanisms and hinges	NA
4.14	Cords and elastics in toys	NA
4.15	Stability and over-load requirements	NA
4.16	Confined spaces	NA
4.17	Wheels, tires, and axles	NA
4.18	Holes, clearance, and accessibility of mechanisms	NA
4.19	Simulated protective devices	NA
4.20	Pacifiers	NA
4.21	Projectile toys	NA
4.22	Teethers and teething toys	NA
4.23	Rattles	NA
4.24	Squeeze toys	NA
4.25	Battery-operated toys	NA
4.26	Toys intended to be attached to a crib or playpen	NA

Unless otherwise stated, this test report is only responsible for the sample(s). This test report cannot be reproduced in partly without prior written permission of the testing Lab. Any inquiry about this report, please raise from the date of receipt of the report within 30 days, overdue will not be accepted.Items marked with "^" are not accredited by CNAS.

Test Report

4.27	Stuffed and beanbag-type toys	NA
4.28	Stroller carriage toys	NA
4.29	Art materials	NA
4.30	Toy gun marking	NA
4.31	Balloons	NA
4.32	Certain toys with nearly spherical ends	NA
4.33	Marbles	NA
4.34	Balls	NA
4.35	Pompoms	NA
4.36	Hemispheric-shaped objects	NA
4.37	Yo Yo elastic tether toys	NA
4.38	Magnets	NA
4.39	Jaw entrapment in handles and steering wheels	NA
4.40	Expanding Materials	NA
4.41	Toy Chests	NA
5	Labeling requirements	P
5.1	Federal Government Requirements	P
5.2	Age Grading Labeling	P
5.3	Safety Labeling Requirements	NA
5.4&5.3	Aquatic Toys	NA
5.5&5.3	Crib and Playpen Toys	NA
5.6&5.3	Mobiles	NA
5.7&5.3	Stroller & Carriage Toys	NA
5.8&5.3	Toys Intended to be Assembled by an Adult	NA
5.9&5.3	Simulated Protective Devices	NA
5.10&5.3	Toys with Functional SE or SP (> 4yrs)	NA
5.11	Small Objects, Small Balls, Marbles and Balloons	NA
5.12	Art Materials (16CFR1500.14)(b)(8)	NA
5.13	Electric Toys	NA
5.14	Battery-Operated Toys (exclude 5.14.1&5.14.2)	NA
5.14.1&5.3	Battery-Powered Ride-on Toys	NA
5.14.2&5.3	Button Or Coin Cell Batteries	NA
5.15	Promotional Materials	P
5.16	Magnets	NA
6	Instructional literature	
6.1	Definition & Description	P
6.2	Crib & Playpen Toys	NA

Unless otherwise stated, this test report is only responsible for the sample(s). This test report cannot be reproduced in partly without prior written permission of the testing Lab. Any inquiry about this report, please raise from the date of receipt of the report within 30 days, overdue will not be accepted.Items marked with "^" are not accredited by CNAS.

NAP Testing Technology Service (Zhongshan) Co., LTD
TEL：0760-86519632 E-mail:service@nap-testing.com Web: www.nap-testing.com
Add：4th floor Zone A and 5th floor, Site no. 81, Lixi Avenue, Banfu Borough, Zhongshan City, Guangdong Province, China

Test Report

6.3	Mobiles	NA
6.4	Toys Intended to be Assembled by an Adult	NA
6.5.1-2	Battery-Operated Toys	NA
6.6	Battery-Powered Ride-on Toys	NA
6.7	Toys in contact with food	NA
6.8	Toy Chests	NA
6.9	The instructional material for toys which require a manufacturer-supplied specialty or custom tool to access the battery(ies)	NA
7	Producer's markings	
7.1	Producer's Name and Address	P
7.2	Battery-Powered Ride-on Toys	NA
7.3	Toy Chests	NA

Remark:
- P = Pass; NA = Not Applicable； F=Fail

2. ASTM F963-23 FLAMMABILITY REQUIREMENTS - AS PER ASTM STANDARD ON SAFETY OF TOYS F963-23 ANNEX A5&A6:

Test Items	Requirement	Sample,in./s	
		Plush tiger	Plush cat
Flammability	Burning rates should not exceed 0.1 inch per second along the major axis.	DNI	DNI
Rating		PASS	PASS

Test Items	Requirement		Sample,s
	Plain Surface Fabrics	Raised Surface Fabrics	Black/Orange Plush Cloth
Flammability	Burning time greater than 3.5s	Burning time greater than 4s	DNI
Rating			PASS

Remark:
- DNI = Did not ignition
- in./s = inch per second
- IBE = Ignited but self-extinguished before burn-rate could be determined
-All styles of the submitted toy samples (and its accessories) was/were tested, the above result only showed the most severe burn rate of the samples

Unless otherwise stated, this test report is only responsible for the sample(s). This test report cannot be reproduced in partly without prior written permission of the testing Lab. Any inquiry about this report, please raise from the date of receipt of the report within 30 days, overdue will not be accepted.Items marked with "^" are not accredited by CNAS.

Test Report

3. Toxic Elements Test [ASTM F963-23 Section 4.3 Toxicology]

3.1. Soluble Migrated Elements [ASTM F963-23 Section 4.3.5.2 (2)& 8.3]

Test Method: ASTM F963-23 Section 8.3

Elements	Requirement (Max.), mg/kg	Sample, mg/kg							
		001	002	003	004	005	006	007	008
*Sample weight (g)		--	--	--	--	--	--	--	--
Antimony (Sb)	60	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
Arsenic (As)	25	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
Barium (Ba)	1000	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
Cadmium (Cd)	75	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Chromium (Cr)	60	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Lead (Pb)	90	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Mercury (Hg)	60	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Selenium (Se)	500	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
Rating		PASS	PASS	PASS	PASS	PASS	PASS	PASS	PASS

Elements	Requirement (Max.), mg/kg	Sample, mg/kg
		009
*Sample weight (g)		--
Antimony (Sb)	60	<5.0
Arsenic (As)	25	<5.0
Barium (Ba)	1000	<5.0
Cadmium (Cd)	75	<2.0
Chromium (Cr)	60	<2.0
Lead (Pb)	90	<2.0
Mercury (Hg)	60	<2.0
Selenium (Se)	500	<5.0
Rating		PASS

Remark:
-"<" means less than
-Method for determination of each soluble element present: Antimony(Sb), Arsenic(As), Barium(Ba), Cadmium(Cd), Chromium(Cr), Lead(Pb), Mercury(Hg) and Selenium(Se) are determined by Inductively Coupled Plasma Spectroscopy.
-*Sample weight between 0.01g - 0.1g should be reported in according to ASTM F963-23
-** Test specimen less than 10 mg is not required to test soluble migrated elements according to ASTM F963-23 Section 8.3.3.6 (2).
-The customer selects the testing site, and the chemical testing conclusion only applies to the selected part.

Unless otherwise stated, this test report is only responsible for the sample(s). This test report cannot be reproduced in partly without prior written permission of the testing Lab. Any inquiry about this report, please raise from the date of receipt of the report within 30 days, overdue will not be accepted.Items marked with "^" are not accredited by CNAS.

NAP Testing Technology Service (Zhongshan) Co., LTD
TEL：0760-86519632 E-mail:service@nap-testing.com Web: www.nap-testing.com
Add：4th floor Zone A and 5th floor, Site no. 81, Lixi Avenue, Banfu Borough, Zhongshan City, Guangdong Province, China

3.2. Total Lead Content In Substrates [ASTM F963-23 Section 4.3.5.2 (2)(a)]

Test Method: CPSC-CH-E1001-08.3 (Metal Substrates) / CPSC-CH-E1002-08.3 Section IA & IIA (Non-Metal Substrates)

Elements	Requirement (Max.), mg/kg	Reporting Limit, mg/kg	Sample, mg/kg		
			001+002+003	004+005+006	007+008
Lead (Pb)	100	5	＜5	＜5	＜5
Rating			PASS	PASS	PASS

Elements	Requirement (Max.), mg/kg	Reporting Limit, mg/kg	Sample, mg/kg
			009
Lead (Pb)	100	5	＜5
Rating			PASS

Remark:
-“<” means less than
-Method for determination of Lead (Pb) is determined by Inductively Coupled Plasma Spectroscopy.
- The customer selects the testing site, and the chemical testing conclusion only applies to the selected part.

3.3. Total Phthalates Content [ASTM F963-23 Section 4.3.8]

Test Method: Reference to CPSC-CH-C1001-09.4.

Test Item(s)	Requirement (Max.), %	Reporting Limit, %	Sample, %		
			001+002+003	004+005+006	007+008
Di(2-Ethylhexyl) phthalate (DEHP)	0.1	0.005	<0.005	<0.005	<0.005
Dibutyl phthalate (DBP)	0.1	0.005	<0.005	<0.005	<0.005
Butylbenzyl phthalate (BBP)	0.1	0.005	<0.005	<0.005	<0.005
Di-isononyl phthalate (DINP)	0.1	0.005	<0.005	<0.005	<0.005
Dipentyl Phthalate, (DPENP)	0.1	0.005	<0.005	<0.005	<0.005
Di-n-hexyl Phthalate, (DHEXP)	0.1	0.005	<0.005	<0.005	<0.005
Dicyclohexyl Phthalate, (DCHP)	0.1	0.005	<0.005	<0.005	<0.005
Diisobutyl Phthalate, (DIBP)	0.1	0.005	<0.005	<0.005	<0.005
Rating	-	-	PASS	PASS	PASS

Unless otherwise stated, this test report is only responsible for the sample(s). This test report cannot be reproduced in partly without prior written permission of the testing Lab. Any inquiry about this report, please raise from the date of receipt of the report within 30 days, overdue will not be accepted.Items marked with "^" are not accredited by CNAS.

Test Report

Test Item(s)	Requirement (Max.), %	Reporting Limit, %	Sample, %
			009
Di(2-Ethylhexyl) phthalate (DEHP)	0.1	0.005	<0.005
Dibutyl phthalate (DBP)	0.1	0.005	<0.005
Butylbenzyl phthalate (BBP)	0.1	0.005	<0.005
Di-isononyl phthalate (DINP)	0.1	0.005	<0.005
Dipentyl Phthalate, (DPENP)	0.1	0.005	<0.005
Di-n-hexyl Phthalate, (DHEXP)	0.1	0.005	<0.005
Dicyclohexyl Phthalate, (DCHP)	0.1	0.005	<0.005
Diisobutyl Phthalate, (DIBP)	0.1	0.005	<0.005
Rating	-	-	PASS

Remark:
- "<" means less than
- Method for determination of Phthalates are determined by GC-MS.
- The customer selects the testing site, and the chemical testing conclusion only applies to the selected part.

4. Total Lead Content In Substrates [Consumer Product Safety Improvement Act Of 2008 Section 101]

Test Method: CPSC-CH-E1001-08.3 (Metal Substrates) / CPSC-CH-E1002-08.3 Section IA & IIA (Non-Metal Substrates)

Elements	Requirement (Max.), mg/kg	Reporting Limit, mg/kg	Sample, mg/kg		
			001+002+003	004+005+006	007+008
Lead (Pb)	100	5	＜5	＜5	＜5
Rating			PASS	PASS	PASS

Elements	Requirement (Max.), mg/kg	Reporting Limit, mg/kg	Sample, mg/kg
			009
Lead (Pb)	100	5	＜5
Rating			PASS

Remark:
-"<" means less than
-Method for determination of Lead (Pb) is determined by Inductively Coupled Plasma Spectroscopy.
- The customer selects the testing site, and the chemical testing conclusion only applies to the selected part.

Unless otherwise stated, this test report is only responsible for the sample(s). This test report cannot be reproduced in partly without prior written permission of the testing Lab. Any inquiry about this report, please raise from the date of receipt of the report within 30 days, overdue will not be accepted.Items marked with "^" are not accredited by CNAS.

NAP Testing Technology Service (Zhongshan) Co., LTD
TEL：0760-86519632 E-mail:service@nap-testing.com Web: www.nap-testing.com
Add：4th floor Zone A and 5th floor, Site no. 81, Lixi Avenue, Banfu Borough, Zhongshan City, Guangdong Province, China

Test Report

5. Total Phthalates in children's toys and childcare articles [Consumer Product Safety Improvement Act Of 2008 Section(CPSIA)-16 CFR 1307]

Test Method: Reference to CPSC-CH-C1001-09.4, analyzed by Gas Chromatograph-Mass Spectrometer(GC-MS).

Test Item(s)	Requirement (Max.), %	Reporting Limit, %	Sample, %		
			001+002+003	004+005+006	007+008
Di(2-Ethylhexyl) phthalate (DEHP)	0.1	0.005	<0.005	<0.005	<0.005
Dibutyl phthalate (DBP)	0.1	0.005	<0.005	<0.005	<0.005
Butylbenzyl phthalate (BBP)	0.1	0.005	<0.005	<0.005	<0.005
Di-isononyl phthalate (DINP)	0.1	0.005	<0.005	<0.005	<0.005
Dipentyl Phthalate, (DPENP)	0.1	0.005	<0.005	<0.005	<0.005
Di-n-hexyl Phthalate, (DHEXP)	0.1	0.005	<0.005	<0.005	<0.005
Dicyclohexyl Phthalate, (DCHP)	0.1	0.005	<0.005	<0.005	<0.005
Diisobutyl Phthalate, (DIBP)	0.1	0.005	<0.005	<0.005	<0.005
Rating	-	-	PASS	PASS	PASS

Test Item(s)	Requirement (Max.), %	Reporting Limit, %	Sample, %
			009
Di(2-Ethylhexyl) phthalate (DEHP)	0.1	0.005	<0.005
Dibutyl phthalate (DBP)	0.1	0.005	<0.005
Butylbenzyl phthalate (BBP)	0.1	0.005	<0.005
Di-isononyl phthalate (DINP)	0.1	0.005	<0.005
Dipentyl Phthalate, (DPENP)	0.1	0.005	<0.005
Di-n-hexyl Phthalate, (DHEXP)	0.1	0.005	<0.005
Dicyclohexyl Phthalate, (DCHP)	0.1	0.005	<0.005
Diisobutyl Phthalate, (DIBP)	0.1	0.005	<0.005
Rating	-	-	PASS

Remark:
- "<" means less than
- Method for determination of Phthalates are determined by GC-MS.
- The customer selects the testing site, and the chemical testing conclusion only applies to the selected part.

Unless otherwise stated, this test report is only responsible for the sample(s). This test report cannot be reproduced in partly without prior written permission of the testing Lab. Any inquiry about this report, please raise from the date of receipt of the report within 30 days, overdue will not be accepted.Items marked with "^" are not accredited by CNAS.

NAP Testing Technology Service (Zhongshan) Co., LTD
TEL：0760-86519632 E-mail:service@nap-testing.com Web: www.nap-testing.com
Add：4th floor Zone A and 5th floor, Site no. 81, Lixi Avenue, Banfu Borough, Zhongshan City, Guangdong Province, China

6. Tracking labels for children's products [Consumer Product Safety Improvement Act Of 2008 Section 103]

The following clauses are identified to be applicable:

Section	Test Items	Assessment
103	TRACKING LABELS FOR CHILDREN'S PRODUCTS	
	a) IN GENERAL	P
	b) LABEL INFORMATION	P
	c) ADVERTISING, LABELING, AND PACKAGING REPRESENTATION	P
	d) REQUIREMENT FOR ADVERTISEMENTS	P
Remark: - P = Pass; NA = Not Applicable; F=Fail		

Test Material(s) List:

（001） Brown-yellow/black plush (tail)
（002） Light brown plush (tail)
（003） Dark white plush fabric (leg)
（004） Blue velvet (top)
（005） White velvet (belly)
（006） Pink plush (tongue)
（007） White plastic (facial)
（008） Black plastic (eyeball)
（009） Khaki fabric (rope)

Photograph of Sample(s):



********** End of Report **********

Unless otherwise stated, this test report is only responsible for the sample(s). This test report cannot be reproduced in partly without prior written permission of the testing Lab. Any inquiry about this report, please raise from the date of receipt of the report within 30 days, overdue will not be accepted.Items marked with "^" are not accredited by CNAS.